


CountryLivingTM



Brookstone Mantel

Owner's Manual

CL-M-RR-2513

Important Safety Instructions

Read and understand the entire manual before attempting to assemble, install, or operate the product.

⚠ WARNING

Two adults required for some steps.

⚠ WARNING

DO NOT use more than the maximum load as shown in the diagram. The use of TVs or loads heavier than the maximum weights specified may result in instability, causing tip over, which could result in serious injury or death.

⚠ CAUTION


Before assembly and installation, carefully unwrap all parts. Locate and set aside the hardware kit before disposing of the packaging.

⚠ CAUTION

Use care when assembling the product. Take your time and follow the instructions closely.


Maximum Load

MAXIMUM LOAD 99 LBS. (45 KG)



SAVE THESE INSTRUCTIONS FOR FUTURE USE.

Tools Required



DRILL
(Not Included)






PHILLIPS HEAD SCREWDRIVER
(Not Included)

Parts & Hardware



PREPARATION NOTES

- Before you begin, locate the parts and hardware. Be sure all parts and hardware are present and can be identified.
- To avoid scratching the finish, assemble the product on a soft, non-abrasive surface such as carpet, thick bedding, or a large blanket.

HARDWARE


PART NO.	DESCRIPTION	QTY
A	 Long Bolt M8 x 60mm	4
B	 Gasket 25 x 11mm	20
C	 Gasket 22 x 9mm	20
D	 Butterfly Nut M8	4
E	 Short Bolt M8 x 40mm	12
F	 Screw 3.5 x 25mm	4

SAFETY STRAP KIT

PART NO.	DESCRIPTION	QTY
G	 Bracket	2
H	 Nylon Strap 260mm	1
I	 Screw 4 x 50 mm	1
J	 Screw 4 x 16 mm	1

Parts & Hardware

PARTS



PART NO.	DESCRIPTION	QTY
1	Top	1
2	Header	1

PART NO.	DESCRIPTION	QTY
3	Left Side Panel	1
4	Right Side Panel	1

PART NO.	DESCRIPTION	QTY
5	Hearth Top	1
6	Hearth Bottom	1



CALL US FIRST DO NOT RETURN TO STORE

For immediate assistance with assembly, missing parts, or if your product arrives damaged, please contact us before returning to the retailer.

1-888-575-6968


Monday through Friday, 8am to 5pm CST
customercare@modernmember.com | mantelsdirect.com

SAVE THESE INSTRUCTIONS FOR FUTURE USE

If you sell or give this product to another person, make sure this manual is included with it.

Assembly Instructions

STEP 1




E | Short Bolt - M8 x 40mm | x4



B | Gasket - 25 x 11mm | x4




C | Gasket - 22 x 9mm | x4



1. Install one Gasket **(C)** followed by one Gasket **(B)** onto each Short Bolt **(E)**.
2. Carefully position the Hearth Top **(5)** onto the Hearth Bottom **(6)**, ensuring all holes are properly aligned.
3. Insert a Short Bolt **(E)** through one of the holes from the underside of the Hearth assembly **(5 and 6)** and begin threading it using a screwdriver. **DO NOT FULLY TIGHTEN AT THIS STAGE.**
4. Repeat this process for the remaining three holes.

Assembly Instructions

STEP 2



E | Short Bolt - M8 x 40mm | x4



B | Gasket - 25 x 11mm | x4




C | Gasket - 22 x 9mm | x4



NOTE:

Short Bolts (**E**) will be fully tightened in Step 6.


DO NOT TIGHTEN THEM BEFOREHAND, as this may cause misalignment of the mantel components.



1. Carefully position the Left Side Panel (**3**) and Right Side Panel (**4**) onto the Hearth assembly (**5**) as illustrated in the diagram.
2. Slide one Gasket (**C**), followed by one Gasket (**B**), onto each Short Bolt (**E**). Align the holes on the Hearth assembly (**5**) with the corresponding holes on the Side Panels (**3** and **4**).
3. From underneath the Hearth (**5**), insert a Short Bolt (**E**) into one of the aligned holes. Using a screwdriver, begin threading the bolt, but **DO NOT FULLY TIGHTEN**.
4. Repeat these steps for the remaining three holes.

Assembly Instructions

STEP 3



A | Long Bolt - M8 x 60mm | x4



B | Gasket - 25 x 11mm | x8



C | Gasket - 22 x 9mm | x8




D | Butterfly Nut - M8 | x4



NOTE:

Long Bolts (**A**) and Butterfly Nuts (**D**) will be tightened in Step 6.


DO NOT TIGHTEN THEM BEFOREHAND, as this may result in misalignment of the mantel components.



1. Slide one Gasket (**C**), followed by one Gasket (**B**), onto each Long Bolt (**A**).
2. Carefully place the Header (**2**) onto the top of the Side Panels (**3 and 4**), ensuring all holes are properly aligned.
3. From underneath the Header (**2**), insert a Long Bolt (**A**) into one of the holes. Then, on the exposed end of the bolt, place a Gasket (**B**), followed by a Gasket (**C**).
4. Thread a Butterfly Nut (**D**) onto the bolt, but **DO NOT TIGHTEN**.
5. Repeat this process for the remaining three holes.

Assembly Instructions

STEP 4



E | Short Bolt - M8 x 40mm | x4



B | Gasket - 25 x 11mm | x4




C | Gasket - 22 x 9mm | x4



NOTE:

Short Bolts (**E**) will be fully tightened in Step 6.

DO NOT TIGHTEN THEM BEFOREHAND, as this may cause misalignment of the mantel components.




1. Slide one Gasket (**C**), followed by one Gasket (**B**), onto each Short Bolt (**E**).
2. Carefully position the Top (**1**) onto the Side Panels (**3 and 4**), ensuring the holes are properly aligned.
3. From underneath the Top (**1**), insert a Short Bolt (**E**) into a hole using a screwdriver.

DO NOT FULLY TIGHTEN.

4. Repeat this process for the remaining three holes.

Assembly Instructions

STEP 5








1. From the front of the mantel, gently place the electric fireplace onto the hearth, ensuring it is centered within the opening.
2. Verify that the Hearth **(5 and 6)**, Side Panels **(3 and 4)**, Header **(2)**, and Top **(1)** are correctly positioned before tightening.
3. Fully tighten all Butterfly Nuts **(D)** installed in Step 3.
4. Fully tighten all Short Bolts **(E)** installed in Steps 1 through 4.

NOTE: The firebox rests securely in place once positioned within the opening and does not need to be fastened into the mantel.

Assembly Instructions

STEP 7



WARNING The tip restraint must be attached to a wall stud using the enclosed 50mm screw (G).

1. Attach one bracket (G) to the back top wood panel of the mantel. Use the 16mm screw (J) through the smaller hole of the bracket, and make sure it's secure. Pre-drill a 1/16 inch hole into the wood mantel first is highly recommended, since this helps prevent splitting.
2. Position the second bracket (G) on the wall, over a wall stud, about 2 inches below where the first bracket sits on the back of the mantel. Attach it to the stud using the 50mm screw (I) through the smaller hole of the bracket.
3. Move the mantel into position so that both brackets line up vertically.
4. Thread the end of the restraint strap (H) through the larger hole in each bracket. Bring both ends together, then slide the flat end through the locking end and pull until all the slack is removed.
5. Check that the strap is laced correctly and locked in place before considering the installation complete.

CountryLivingTM

Thank you for your purchase.

Each unit has been manufactured to ensure safety and reliability. Before first use, read the instructions carefully and keep them for further reference.

Questions, problems, missing parts?
Before returning to store, call Customer Service:

8am-5pm CST, Monday - Friday

Phone: 1-888-575-6968

Email: customercare@modernmember.com

Retain this manual for future use.

