Electric Fireplace
Collection

Dimplex®

TABLE OF CONTENTS

IGNITE FAMILY

02 *Ignite Ultra®*
04 *Ignite Bold®*
06 *Ignite Evolve®*
08 *Ignite XL®*
10 *Ignite® Quest*
12 *Ignite® Comparison*

OPTIMYST FAMILY

14 *Optimyst® Linear*
16 *Optimyst® Aura*
18 *Optimyst® Revive*
20 *Optimyst® Mapleton*
22 *Optimyst® e-MatriX*
24 *Optimyst® RGB Cassette*
26 *Optimyst® RGB Pro Box*
28 *Optimyst® Comparison*

VITAL FAMILY

30 *Vital™ Essence*
32 *Vital™ Spark*
34 *Vital™ Sense*
36 *Vital™ Comparison*

REVILLUSION FAMILY

38 *Revillusion®*
40 *Revillusion® Comparison*

LINEAR FIREPLACES

42 *Slim Linear*
44 *Sierra Linear*
46 *Linear Comparison*

FIREBOXES

48 *BF*
50 *Nova*
52 *Firebox Comparison*
54 *DFI Insert*

ACCESSORY PROGRAM

55 *Outdoor Certified*
56 *Ignite Displayer Program*
57 *Accessory Displayer Program*

IGNITE ULTRA

Linear Electric Fireplace

LIMITED ★ 5 YEARS ★ WARRANTY

Modern Elegance
Sleek design and cutting-edge technology create a focal point that exudes modernism.

Adaptable Design
Freedom to fit your vision with four installation choices: front-facing, left-corner, right-corner, bay.

Natural Hearth
Delivers the most authentic flame and log combination for an unmatched and lifelike fire experience.

Rhythmic Inner Glow Logs
Features quick connect, moveable logs enhanced with inner glow technology that pulse in rhythm with the dancing flames.

Choose from a range of flame effects, all with a different look to suit your style. With simple ability to change component process, you can make your dream fireplace come true.

Total Control
Harness total control of your fireplace with the Dimplex Flame Connect App. You can also use the included wall-mountable (optional) remote control or 3-button control panel on the fireplace.



ULT50
50" Linear Electric Fireplace

Product Dimensions (W x H x D)
54-5/8 × 27-1/2 × 15-3/8 in
138.7 × 69.9 × 39.1 cm

Carton Dimensions (W x H x D)
53-7/8 × 33-1/8 × 20-5/8 in
136.8 × 84.2 × 52.5 cm

Packaged Weight
187.4 lbs / 85.0 kg

UPC
781052152960

Order Number
500003149

ULT60
60" Linear Electric Fireplace

Product Dimensions (W x H x D)
64-5/8 × 27-1/2 × 15-3/8 in
164.1 × 69.9 × 39.1 cm

Carton Dimensions (W x H x D)
63-7/8 × 33-1/8 × 20-5/8 in
162.2 × 84.2 × 52.5 cm

Packaged Weight
209.4 lbs / 95.0 kg

UPC
781052152977

Order Number
500003151

ULT74
74" Linear Electric Fireplace

Product Dimensions (W x Hx D)
78-5/8 × 27-1/2 × 15-3/8 in
199.7 × 69.9 × 39.1 cm

Carton Dimensions (W x H x D)
77-7/8 × 33-1/8 × 20-5/8 in
198.1 × 84.2 × 52.5 cm

Packaged Weight
246.9 lbs / 112.0 kg

UPC
781052152984

Order Number
500003152

ULT88
88" Linear Electric Fireplace

Product Dimensions (W x H x D)
92-5/8 × 27-1/2 × 15-3/8 in
235.3 × 69.9 × 39.1 cm

Carton Dimensions (W x H x D)
91-7/8 × 33-1/8 × 20-5/8 in
233.4 × 84.2 × 52.5 cm

Packaged Weight
275.6 lbs / 130.0 kg

UPC
781052152991

Order Number
500003154

ULT100
100" Linear Electric Fireplace

Product Dimensions (W x H x D)
104-5/8 × 27-1/2 × 15-3/8 in
265.7 × 69.9 × 39.1 cm

Carton Dimensions (W x H x D)
103-7/8 × 33-1/8 × 20-5/8 in
264.3 × 84.2 × 52.5 cm

Packaged Weight
308.6 lbs / 140.0 kg

UPC
781052153004

Order Number
500003155

ULT50

ULT60

ULT74

ULT88

ULT100

Flame shown in image is Multi-Fire

©2026 Glen Dimplex Americas

IGNITE BOLD®

Linear Electric Fireplace

LIMITED 1 YEAR OUTDOOR WARRANTY

LIMITED 5 YEARS INDOOR WARRANTY

Scan for more information

A Bold Statement
Incredible depth, unparalleled flames and an increased viewing height create a focal piece in your space.

Energy Efficiency
Patented Comfort$aver® technology reduces energy usage while keeping the room temperature stable and cozy.

Design Versatility
Install the fireplace your way to fit your space. Front-facing, right or left corner and bay, all in one box.

Multi-Fire® Flame Effect
Patented Dimplex flame effect produces vivid, realistic flames that ignite the senses.

Now Outdoor Certified

Certified for outdoor use, Ignite Bold enhances your pool or patio with a striking flame and dependable heat.

Total Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

XLF5017-XD
50" Linear Electric Fireplace

Product Dimensions (W x H x D)
50-1/2 × 23-7/8 × 12-1/8 in
128.4 × 60.7 × 30.7 cm

Carton Dimensions (W x H x D)
55-3/8 × 28-3/8 × 16-4/8 in
140.5 × 72.0 × 42.0 cm

Packaged Weight
124.6 lbs / 56.5 kg

UPC
781052137226

Order Number
X-XLF5017-XD

XLF6017-XD
60" Linear Electric Fireplace

Product Dimensions (W x H x D)
63-1/8 × 23-7/8 × 12-1/8 in
160.3 × 60.7 × 30.7 cm

Carton Dimensions (W x H x D)
66-7/8 × 28-3/8 × 16-4/8 in
170 × 72.0 × 42.0 cm

Packaged Weight
147.7 lbs / 67.0 kg

UPC
781052137233

Order Number
X-XLF6017-XD

XLF7417-XD
74" Linear Electric Fireplace

Product Dimensions (W x H x D)
75-5/8 × 23-7/8 × 12-1/8 in
192.2 × 60.7 × 30.7 cm

Carton Dimensions (W x H x D)
80-2/8 × 28-3/8 × 16-4/8 in
203.8 × 72.0 × 42.0 cm

Packaged Weight
171.5 lbs / 77.8 kg

UPC
781052137257

Order Number
X-XLF7417-XD

XLF8817-XD
88" Linear Electric Fireplace

Product Dimensions (W x H x D)
88-1/4 × 23-7/8 × 12-1/8 in
224.2 × 60.7 × 30.7 cm

Carton Dimensions (W x H x D)
92-2/8 × 28-3/8 × 16-4/8 in
234.4 × 72.0 × 42.0 cm

Packaged Weight
201.5 lbs / 91.4 kg

UPC
781052137264

Order Number
X-XLF8817-XD

XLF10017-XD
100" Linear Electric Fireplace

Product Dimensions (W x H x D)
100-3/4 × 23-7/8 × 12-1/2 in
255.9 × 60.7 × 30.7 cm

Carton Dimensions (W x H x D)
105-1/2 × 28-3/8 × 16-4/8 in
268.0 × 72.0 × 42.0 cm

Packaged Weight
223.3 lbs / 101.3 kg

UPC
781052137271

Order Number
X-XLF10017-XD

XLF5017-XD

XLF6017-XD

XLF7417-XD

XLF8817-XD

XLF10017-XD

Flame Options Available

Bay

©2026 Glen Dimplex Americas

IGNITE EVOLVE®

Linear Electric Fireplace

LIMITED 1 YEAR OUTDOOR WARRANTY

LIMITED 5 YEARS INDOOR WARRANTY

Scan for more information

Comfort & Aesthetic

Stunning flames, ember bed and lifelike driftwood work together to create an authentic fire experience.

Energy Efficiency

Patented Comfort$aver® technology reduces energy usage while keeping the room temperature stable and cozy.

Complete Personalization

Endless personalization of the flame speed, color and ember bed to make this fireplace unique to you.

Seamless Installation

Fully recesses into a 2×6 wall with or without trim for an edgeless design.

Now Outdoor Certified

Indoor elegance meets outdoor durability, Ignite Evolve is ready for outdoor living.

Total Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

EVO50
50" Linear Electric Fireplace

Product Dimensions (W x H x D)
51-3/8 × 16-1/2 × 5-3/4 in
130.6 × 41.9 × 14.6 cm

Carton Dimensions (W x H x D)
56-1/2 × 21-1/2 × 12-3/8 in
143.5 × 54.6 × 31.2 cm

Packaged Weight
84.9 lbs / 38.6 kg

UPC
781052151987

Order Number
500002573

EVO60
60" Linear Electric Fireplace

Product Dimensions (W x H x D)
61-1/4 × 16-1/2 × 5-3/4 in
155.6 × 41.9 × 14.6 cm

Carton Dimensions (W x H x D)
66-1/2 × 21-1/2 × 12-3/8 in
168.9 × 54.6 × 31.2 cm

Packaged Weight
99.7 lbs / 45.3 kg

UPC
781052151994

Order Number
500002574

EVO74
74" Linear Electric Fireplace

Product Dimensions (W x H x D)
75-3/8 × 16-1/2 × 5-3/4 in
191.4 × 41.9 × 14.6 cm

Carton Dimensions (W x H x D)
81-1/8 × 21-1/2 × 12-3/8 in
206.0 × 54.6 × 31.2 cm

Packaged Weight
116.8 lbs / 53.1 kg

UPC
781052152007

Order Number
500002608

EVO100
100" Linear Electric Fireplace

Product Dimensions (W x H x D)
101-3/8 × 16-1/2 × 5-3/4 in
257.5 × 41.9 × 14.6 cm

Carton Dimensions (W x H x D)
106-3/4 × 21-1/2 × 12-3/8 in
271.0 × 54.6 × 31.2 cm

Packaged Weight
159.3 lbs / 72.4 kg

UPC
781052152014

Order Number
500002563

EVO50

EVO60

EVO74

EVO100

Flame Options Available

©2026 Glen Dimplex Americas

IGNITE XL®

Linear Electric Fireplace

Scan for more information

Classic Charm
Flickering flames and acrylic crystals create a stunning feature while providing ambience to any room.

Energy Efficiency
Enjoy perfect comfort with the patented Comfort$aver® technology, reducing energy usage while keeping the room temperature stable.

Simple Comfort
Instantly transform your space into a cozy retreat with simple controls and zero hassles.

Seamless Installation
Fully recesses into a 2×6 wall with or without trim for an edgeless design.

Now Outdoor Certified

Create lasting memories outdoors, Ignite XL is certified for outdoor spaces to make every occasion extraordinary.

Easy Control
Use the included remote or hidden touch controls to easily operate your fireplace.



XLF50
50" Linear Electric Fireplace

Product Dimensions (W x H x D)
51-3/8 × 16-1/2 × 5-3/4 in
130.6 × 41.9 × 14.6 cm

Carton Dimensions (W x H x D)
56-3/8 × 21-1/4 × 12 in
143.2 × 54.0 × 30.5 cm

Packaged Weight
73.9 lbs / 33.5 kg

UPC
781052098725

Order Number
X-XLF50

XLF60
60" Linear Electric Fireplace

Product Dimensions (W x H x D)
61-3/8 × 16-1/2 × 5-3/4 in
156.0 × 41.9 × 14.6 cm

Carton Dimensions (W x H x D)
68-3/8 × 21-1/4 × 12 in
173.7 × 54.0 × 30.5 cm

Packaged Weight
86.8 lbs / 39.4 kg

UPC
781052118478

Order Number
X-XLF60

XLF74
74" Linear Electric Fireplace

Product Dimensions (W x H x D)
75-3/8 × 16-1/2 × 5-3/4 in
191.6 × 41.9 × 14.6 cm

Carton Dimensions (W x H x D)
80-1/8 × 21-1/4 × 12 in
203.4 × 54.0 × 30.5 cm

Packaged Weight
104.7 lbs / 47.5 kg

UPC
781052098756

Order Number
X-XLF74

XLF100
100" Linear Electric Fireplace

Product Dimensions (W x H x D)
101-3/8 × 16-1/2 × 5-3/4 in
257.6 × 41.9 × 14.6 cm

Carton Dimensions (W x H x D)
106-3/8 × 21-1/4 × 12 in
270.2 × 54.0 × 30.5 cm

Packaged Weight
137.6 lbs / 62.4 kg

UPC
781052104594

Order Number
X-XLF100

XLF50

XLF60

XLF74

XLF100

Flame Options Available



©2026 Glen Dimplex Americas

IGNITE Quest

Hybrid Electric Fireplace



Scan for more information

Design Without Compromise

Blend the timeless comfort of a firebox with the sleek sophistication of a linear design, more than a fireplace, it's a statement.

Trusted Protection

Cool-to-touch glass and advanced safety features mean peace of mind, so you can focus on what matters: creating memories around the fire.

Authentic Ambience

From glowing logs to a pulsating ember bed, every detail evokes the charm of a wood-burning fire, without the mess.

Bay Installation

Create a stunning focal point with the optional three-sided bay design, Quest adapts beautifully.

Designed for the moments you'll talk about later.

Total Control

Harness total control of your fireplace with the Dimplex Flame Connect App. You can also use the included wall-mountable (optional) remote control or 3-button control panel on the fireplace.

QST30
30" Electric Fireplace

Product Dimensions (W x H x D)
30-5/8 × 36-5/8 × 17-1/2 in
77.7 × 93.0 × 44.5 cm

Carton Dimensions (W x H x D)
34-2/8 × 41 × 23-4/8 in
86.9 × 104.2 × 59.5 cm

Packaged Weight
203.0 lbs / 92.0 kg

UPC
781052157620

Order Number
500005298

QST36
36" Electric Fireplace

Product Dimensions (W x H x D)
36-5/8 × 36-5/8 × 17-1/2 in
93.0 × 93.0 × 44.5 cm

Carton Dimensions (W x H x D)
40-2/8 × 41 × 23-4/8 in
102.2 × 104.2 × 59.5 cm

Packaged Weight
216.0 lbs / 98.0 kg

UPC
781052157637

Order Number
500005299

QST42
42" Electric Fireplace

Product Dimensions (W x H x D)
42-5/8 × 36-5/8 × 17-1/2 in
108.2 × 93.0 × 44.5 cm

Carton Dimensions (W x H x D)
46-2/8 × 41 × 23-4/8 in
117.4 × 104.2 × 59.5 cm

Packaged Weight
229.0 lbs / 104.0 kg

UPC
781052157644

Order Number
500005300

QST48
48" Electric Fireplace

Product Dimensions (W x H x D)
48-5/8 × 36-5/8 × 17-1/2 in
124.3 × 93.0 × 44.5 cm

Carton Dimensions (W x H x D)
52-2/8 × 41 × 23-4/8 in
132.6 × 104.2 × 59.5 cm

Packaged Weight
242.0 lbs / 110.0 kg

UPC
781052157651

Order Number
500005301

QST30

QST36

QST42

QST48

Flame Options Available

©2026 Glen Dimplex Americas

Sleek Style. Captivating Flame.

Bring modern ambience to any space with bold linear design and vibrant, maintenance-free electric flames.

SERIES	IGNITE ULTRA®	IGNITE BOLD®	IGNITE EVOLVE®	IGNITE XL®	IGNITE ® QUEST
Size	50", 60", 74", 88", 100"	50", 60", 74", 88", 100"	50", 60", 74", 100"	50", 60", 74", 100"	30", 36", 42", 48"
Ember Bed	Quick Connect Logs with Tumbled Glass Embers	Lifelike Driftwood with Acrylic Crystals	Tumbled Glass, Lifelike Driftwood, Acrylic Crystals	Acrylic Crystals	Quick Connect Logs with Tumbled Glass Embers
Ember Bed Themes | Brightness	3 Themes | Adjustable Brightness	8 Themes | Adjustable Brightness			3 Themes | Adjustable Brightness
Flame Color Themes | Brightness	9 Themes | Adjustable Brightness	7 Themes | Adjustable Brightness		1 Theme	9 Themes | Adjustable Brightness
Top Light	•	•			
Flame Effect	Flex-Flame Feature: Dynamic-Fire and Multi-Fire®	Multi-Fire®			
Flame Technology	Optiflame®				
Flame Speed	4	5	5		4
Flame Only Mode	•	•	•	•	•
Heater Only Mode	•	•	•	•	•
Air Circulation	•	•	•		•
Heat Operation	Comfort$aver® Heating				
Heating Area	1000 sq. ft.				
Heat Disable	Onboard Controls or Hardware Disconnect				
Built-in Thermostat	•	•	•	•	•
Wiring Type	Hardwire (Optional 120 V Plug Kit Included)				
Volts	120 | 240	120 | 240	120 | 240	120 | 240	120 | 240
Watts	1500 | 2500	1500 | 2500	1500 | 2500	1500 | 2500	1500 | 2500
BTU	5118 | 8530	5118 | 8530	5118 | 8530	5118 | 8530	5118 | 8530
Operating Controls	Onboard | Remote | App	Hidden touch controls | Remote | App		Hidden touch controls | Remote	Onboard | Remote | App
Flame Connect App	•	•	•		•
Smart self-diagnostics	•	•	•		•
Display		•	•	•	
Timer	•	•	•	•	•
Installation Options	Fully recessed-front, right/left corner, and bay. Linking Kit - to connect multiple units		Fully recessed - 2×6, Partially recessed - 2×4 with trim-kit accessory		Fully recessed-front, right/left corner, and (with optional kit).
Optional Accessories	Ember Beds and Log Sets	Modular Linking Kit, Plug Kit, Ember Beds and Log Sets	Trim Kit, Ember Beds and Log Sets		Bay, left and right installation accessory kit
Warranty	5-year parts and service	5-year limited | Indoor 1-year limited | Outdoor			5-year parts and service

©2026 Glen Dimplex Americas

Optimyst® Linear
Vapor Fireplace

LIMITED ★ 2 YEAR ★ WARRANTY



Scan for more information

Breathtaking Ambience
Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable
Optimyst® requires no fuel or exhaust venting as it runs on water and electricity and uses reduced energy for heating.

Unparalleled Experience
You'll have a completely unique fire experience through personalization options; no flame shape is the same.

Continuous Water Supply
Designed to connect to main water line providing continuous operation. Accessory plumbing kit is available.

Optimyst Linear Firebox includes Acrylic Crystals and Driftwood Ember Bed.

Total Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

OLF46-AM
Optimyst® 46" Linear Vapor Fireplace

Product Dimensions
(W x H x D)
47-1/2 × 31-1/2 × 11-7/8 in
120.6 × 80.0 × 30.0 cm

Carton Dimensions
(W x H x D)
50-3/8 × 34-3/8 × 15-1/2 in
127.8 × 87.1 × 39.1 cm

Packaged Weight
149.6 lbs / 68.0 kg

UPC
781052136786

Order Number
X-136786

OLF66-AM
Optimyst® 66" Linear Vapor Fireplace

Product Dimensions
(W x H x D)
67-1/2 × 31-1/2 × 11-7/8 in
171.4 × 80.0 × 30.0 cm

Carton Dimensions
(W x H x D)
70-3/8 × 34-3/8 × 15-1/2 in
178.6 × 87.1 × 39.1 cm

Packaged Weight
206.8 lbs / 94.0 kg

UPC
781052136793

Order Number
X-136793

OLF86-AM
Optimyst® 86" Linear Vapor Fireplace

Product Dimensions
(W x H x D)
87-1/2 × 31-1/2 × 11-7/8 in
222.2 × 80.0 × 30.0 cm

Carton Dimensions
(W x H x D)
90-3/8 × 34-3/8 × 15-1/2 in
229.4 × 87.1 × 39.1 cm

Packaged Weight
264.0 lbs / 120.0 kg

UPC
781052136809

Order Number
X-136809

OLF46-AM

OLF66-AM

OLF86-AM

Flame Options Available

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

©2026 Glen Dimplex Americas

Optimyst® Aura
Vapor Fireplace

LIMITED ★ 2 YEAR ★ WARRANTY

Scan for more information

Flame Realism
Produces ultra realistic 3D flames using water vapor, courtesy of the Optimyst® flame effect.

User-Friendly
Designed for a stress-free experience, equipped with a front drawer for easy water reservoir refilling and Flame Connect App compatibility.

Sustainable Hearth
Combines sustainability with energy-efficiency, providing an environmentally conscious heating and design solution.

Configuration Options
Enjoy the same fireplace with your choice of four layouts, front-facing, left or right corner, or bay, all in one box.

Equipped with a pull-out drawer for easy access to refill water bottle.

Total Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

3STEP-RGB-AM
Optimyst® Aura 30" Vapor Fireplace

Product Dimensions (W x H x D)
30 × 29-3/16 × 15-7/8 in
76.2 × 74.1 × 40.4 cm

Carton Dimensions (W x H x D)
36-1/4 × 36-5/8 × 22 in
92.0 × 93.0 × 56.0 cm

Packaged Weight
134.2 lbs / 61.0 kg

UPC
781052154100

Order Number
500003866

Flame Options Available

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

©2026 Glen Dimplex Americas

Optimyst® Revive
Vapor Fireplace

LIMITED ★ 2 YEAR ★ WARRANTY

Scan for more information

Flame Realism
Produces ultra realistic 3D flames using water vapor, courtesy of the Optimyst® flame effect.

Adaptable Design
Versatile design suits modern or traditional settings, with a pull-out drawer for easy water refills, enabling installation anywhere.

Silent and Adjustable
Experience silent, fully variable flames for diverse moods with option to enjoy the ambience without the heat.

Revive Your Hearth
Transform your unused fireplace with this sleek insert that fits perfectly into your existing hearth, offering a realistic 3D flame effect and cozy warmth.

Equipped with a pull-out drawer for easy access to refill water bottle.

Easy Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

ABN15-RGB-AM
Optimyst® Revive 25" Vapor Fireplace

Product Dimensions
(W x H x D)
25-1/4 × 24-7/8 × 12-7/8 in
63.9 × 63.3 × 32.8 cm

Carton Dimensions
(W x H x D)
30-1/8 × 34-7/8 × 18-1/8 in
76.5 × 88.5 × 46.0 cm

Packaged Weight
68.2 lbs / 31.0 kg

UPC
781052154094

Order Number
500003863

Flame Options Available

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

©2026 Glen Dimplex Americas

Optimyst® Mapleton
Vapor Stove

Scan for more information

Lifelike Flames
Optimyst® creates a captivating fireside ambience using innovative water vapor technology that imitates true flames, with minimal maintenance.

Portable Flexibility
Enjoy flexible installation anywhere, no venting, hardwiring, or renovations required. Just plug it in and place it, making it ideal for condos, rentals, or room makeovers.

Style with a Statement
With its matte black finish, cast iron accents, and hand finished log set with storage, this fireplace adds style to any space. Enjoy with or without heat, perfect for creating a cozy vibe year-round.

Premium Design
Cast iron door, front, and top panel with included log set for authentic look.

Features an easy water refill tank for up to 6 hours of continuous operation.

Sight and Sound
Control the flames, heat and sounds with the touch of a button.

MPT-LS-AM
Optimyst® Mapleton 18" Vapor Fireplace

Product Dimensions
(W x H x D)
18-1/4 × 38 × 17-1/2 in
46.3 × 96.5 × 43.8 cm

Carton Dimensions
(W x H x D)
46 × 24 × 21 in
116 × 60.5 × 53.0 cm

Packaged Weight
178.2 lbs / 81.0 kg

UPC
781052154674

Order Number
500004330

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

©2026 Glen Dimplex Americas

Optimyst® e-MatriX
Vapor Fireplace

LIMITED ★ 2 YEAR ★ WARRANTY

Elegant Centrepiece
Elevate room atmosphere with lifelike flames and a captivating contemporary design, serving as a stylish focal point.

Year-Round Enjoyment
Experience year-round realistic flames without heat, providing versatile allure for every season.

Design Flexibility
Tailor to your vision with four installation choices: front-facing, left-corner, right-corner, or bay.

Continuous Water Supply
Designed to connect to main water line providing continuous operation.

Multi-function Remote
Control the fireplace features from the comfort of your chair.

Available in four installation options — Front-facing, left-corner, right-corner or bay. Each sold separately.

FEF3226L1
Optimyst® e-MatriX 35" Vapor Fireplace

Product Dimensions (W x H x D)
35-1/8 × 37-5/8 × 20 in
89.2 × 96.0 × 50.8 cm

Carton Dimensions (W x H x D)
50-5/8 × 49 × 25-1/2 in
128.5 × 124.2 × 65.0 cm

Packaged Weight
302 lbs / 137 kg

UPC
781052132016

Order Number
X-FEF3226L1

FEF3226L2L
Optimyst® e-MatriX 35" Vapor Fireplace

Product Dimensions (W x H x D)
37-1/8 × 37-5/8 × 20 in
94.3 × 96.0 × 50.8 cm

Carton Dimensions (W x H x D)
50-5/8 × 49 × 25-1/2 in
128.5 × 124.2 × 65.0 cm

Packaged Weight
302 lbs / 137 kg

UPC
781052132023

Order Number
X-FEF3226L2L

FEF3226L2R
Optimyst® e-MatriX 35" Vapor Fireplace

Product Dimensions (W x H x D)
37-1/8 × 37-5/8 × 20 in
94.3 × 96.0 × 50.8 cm

Carton Dimensions (W x H x D)
50-5/8 × 49 × 25-1/2 in
128.5 × 124.2 × 65.0 cm

Packaged Weight
302 lbs / 137 kg

UPC
781052132047

Order Number
X-FEF3226L2R

FEF3226L3
Optimyst® e-MatriX 35" Vapor Fireplace

Product Dimensions (W x H x D)
39-1/8 × 37-5/8 × 20 in
99.4 × 96.0 × 50.8 cm

Carton Dimensions (W x H x D)
50-5/8 × 49 × 25-1/2 in
128.5 × 124.2 × 65.0 cm

Packaged Weight
302 lbs / 137 kg

UPC
781052132054

Order Number
X-FEF3226L3

©2026 Glen Dimplex Americas

Optimyst® RGB Cassette

Vapor Fireplace



Scan for more information

Stunning Atmosphere
Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable
Optimyst® RGB Cassette requires no fuel or venting as it runs on water and electricity.

Limitless Installation
With endless possibilities, build the ideal fireplace in any location, bringing your dream design to life.

Continuous Water Supply
Designed to connect to main water line providing continuous operation. Accessory plumbing kit is available.

Flame Options Available

Total Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control.



CDFI500-PRO-RGB
Optimyst® RGB Cassette

Product Dimensions
(W x H x D)
20-1/8 × 9-7/8 × 12 in
51.1 × 25.1 × 30.3 cm

Carton Dimensions
(W x H x D)
24-3/8 × 13-3/4 × 18
62.0 × 35.0 × 45.7 cm

Packaged Weight
27.6 lbs / 12.5 kg

UPC
781052152670

Order Number
500004172

Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

©2026 Glen Dimplex Americas

Optimyst® RGB Pro Box

Vapor Fireplace

Scan for more information

Captivating Ambience
Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable
Optimyst® RGB Pro Box requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.

Seamless Design
The pre-built box simplifies the installation without compromising on design.

Single or Double-sided
Add a glass panel for easy conversion to a see-through unit (glass sold separately).

Flame Options Available



Now pre-installed with RGB Cassettes.

Sight and Sound Remote
Adjust flame, color, heat, and sound using the onboard controls or remote, or unlock full-spectrum color customization with the Flame Connect app.

©2026 Glen Dimplex Americas



CBX1000-AM
Optimyst® 1000 Box

Product Dimensions
(W x H x D)
44-7/8 × 31-3/4 × 16-1/4 in
114.0 × 80.6 × 41.2 cm

Carton Dimensions
(W x H x D)
48-1/2 × 37 × 18-1/8 in
123.0 × 94.0 × 46.0 cm

Packaged Weight
81.4 lbs / 37.0 kg

UPC
781052154650

Order Number
500004329

CBX1500-AM
Optimyst® 1500 Box

Product Dimensions
(W x H x D)
64-7/8 × 31-3/4 × 16-1/4 in
164.8 × 80.6 × 41.2 cm

Carton Dimensions
(W x H x D)
68-3/8 × 37-1/2 × 17-1/2 in
173.7 × 94.5 × 44.5 cm

Packaged Weight
111.5 lbs / 50.6 kg

UPC
781052154667

Order Number
500004269

CBX1000-AM



CBX1500-AM



Flame Style Options



Optimyst®

Real Mist. Real Atmosphere.

Bring modern ambience to any space with bold linear design and vibrant, maintenance-free electric flames.

SERIES	OPTIMYST® LINEAR	OPTIMYST® AURA	OPTIMYST® REVIVE	OPTIMYST® MAPLETON
Size	46", 66", 86"	30"	25"	18-1/4"
Ember Bed	Lifelike Driftwood with Acrylic Crystals	Realistic Charred Logs		
Flame Color Themes | Brightness	8 Themes | Adjustable Brightness	6 Themes | Adjustable Brightness		
Top Light	•			
Flame Effect	Optimyst® Flame effect			
Flame Technology	Optimyst®			
Crackling Sound Effect	•	•	•	•
Flame Only Mode	•	•	•	•
Air Circulation	•	•	•	
Heat Operation	Comfort$aver® Heating	Powerful Heating		
Heating Range	1000 sq. ft.	400 sq. ft.		340 sq. ft.
Heat Disable	•	•	•	
Built-in Thermostat	•	•	•	•
Wiring Type	Hardwire (120 V Plug Kit Sold Separately)	Hardwire (120 V Plug kit included) Installation required		Plug-In
Volts	120 | 240	120	120	120
Watts	46" = 1220 | 1920 66" = 1480 | 2180 86" = 1020 (flame only) | 2400	1275	1250	1150
BTU	46" = 4163 | 6551 66" = 5050 | 7438 86" = 3480 (flame only) | 8189	4350	4265	3924
Operating Controls	Hidden touch controls | Remote	Onboard controls | Remote		
Flame Connect App	•	•	•	
Self-diagnostics	•	•		
Display	•	•	•	•
Timer	•	•	•	•
Installation Options	Fully recessed	Front, Left, Right, or Bay	Front	Freestanding
Direct Plumbing	Hard Plumb	Easy Access Refill Drawer		
Optional Accessories	Plumb Kit, Plug Kit, Ember Beds and Log Sets		Trim Kit	Flue collar attachment
Warranty	2-year parts and service			

SERIES	OPTIMYST® E-MATRIX	OPTIMYST® RGB PRO BOX	OPTIMYST® RGB CASSETTE
Size	35"	40", 60"	20"
Ember Bed	Realistic Charred Logs		
Flame Color Themes | Brightness		5 Themes | Custom Colors via the Flame Connect App	
Top Light			
Flame Effect	Optimyst® Flame effect		
Flame Technology	Optimyst®		
Crackling Sound Effect	•	•	•
Flame Only Mode	•	•	•
Air Circulation			
Heat Operation	Heat-free	Supplemental heating	Heat-free (Optional Heater Accessory available)
Heating Range		400 sq. ft.	
Heat Disable		•	
Built-in Thermostat			
Wiring Type	Hardwire (120 V Plug kit sold separately)		
Volts	120	120	120
Watts	270	40" = 1460 60" =1490	230
BTU		40" = 4984 60" = 5087	785
Operating Controls	Membrane controls | Remote		
Flame Connect App		•	•
Self-diagnostics		Basic	
Display			
Timer			
Installation Options	Front, Right, Left, or Bay	One-sided or Double-sided	Fully customizable
Direct Plumbing	Hard Plumb		
Optional Accessories	Plumb Kit, Plug Kit, Ember Beds and Log Sets		
Warranty	2-year parts and service		

©2026 Glen Dimplex Americas

Vital™ ESSENCE

Linear Electric Fireplace

Style Within Reach
A clean and modern design that brings style to your home, offering exceptional value without compromise.

Flexible Install
Install with included wall-mount brackets or frame an opening for a sleek, recessed finish.

Unlimited Possibilities
Endless personalization of the flame speed, color and ember bed to make this fireplace unique to you.

Seamless Installation
Flexible installation with 1500 watts at 120 volts, hardwire or convertible to a plug-in.

Versatile Ambience

With 3 speeds, 3 brightness settings, and 13 flame colors, you can customize the fireplace to match any mood or occasion.

Total Control
For ultimate control of your fireplace, use the Glen Dimplex Connect App. You can also use the included remote control or hidden control panel.

Flame Options Available

ESN42
42" Linear Electric Fireplace
Available this September!

Product Dimensions (W x H x D)
41-3/4 × 16-1/2 × 5-3/4 in
106.0 × 41.9 × 14.7 cm

Carton Dimensions (W x H x D)
46-3/8 × 21-5/8 × 12-3/8 in
117.9 × 55.0 × 31.5 cm

Packaged Weight
71.0 lbs / 32.2 kg

UPC
781052160101

Order Number
500006365

ESN50
50" Linear Electric Fireplace

Product Dimensions (W x H x D)
51-3/8 × 16-1/2 × 5-3/4 in
130.6 × 41.9 × 14.7 cm

Carton Dimensions (W x H x D)
56-11/16 × 21-5/8 × 12-3/8 in
144.0 × 55.0 × 31.5 cm

Packaged Weight
78.0 lbs / 35.4 kg

UPC
781052157354

Order Number
500005123

ESN60
60" Linear Electric Fireplace

Product Dimensions (W x H x D)
61 1/4 × 16-1/2 × 5-3/4 in
155.6 × 41.9 × 14.7 cm

Carton Dimensions (W x H x D)
66-3/4 × 21-5/8 × 12-3/8 in
169.5 × 55.0 × 31.5 cm

Packaged Weight
90.8 lbs / 41.2 kg

UPC
781052157361

Order Number
500005124

ESN74
74" Linear Electric Fireplace

Product Dimensions (W x H x D)
75-1/2 × 16-1/2 × 5-3/4 in
191.6 × 41.9 × 14.7 cm

Carton Dimensions (W x H x D)
80-11/16 × 21-7/8 × 12-3/8 in
205.0 × 55.5 × 31.5 cm

Packaged Weight
107.1 lbs / 48.6 kg

UPC
781052157378

Order Number
500005125

ESN100
100" Linear Electric Fireplace

Product Dimensions (W x H x D)
101-3/8 × 16-1/2 × 5-3/4 in
257.6 × 41.9 × 14.7 cm

Carton Dimensions (W x H x D)
106-7/8 × 21-7/8 × 12-3/8 in
271.5 × 55.5 × 31.5 cm

Packaged Weight
131.0 lbs / 59.4 kg

UPC
781052157385

Order Number
500005122

ESN42

ESN50

ESN60

ESN74

ESN100

This product may not be available in all regions. Please contact us to confirm availability.

©2026 Glen Dimplex Americas

Vital Sense

Linear Electric Fireplace

Style Within Reach
A clean and modern design that brings style to your home, offering exceptional value without compromise.

Flexible Install
Install with included wall-mount brackets or frame an opening for a sleek, recessed finish.

Unlimited Possibilities
Endless personalization of the flame speed, color and ember bed to make this fireplace unique to you.

Seamless Installation
Flexible installation with 1500 watts at 120 volts, hardwire or convertible to a plug-in.

Versatile Ambience

With 3 speeds, 3 brightness settings, and 13 flame colors, you can customize the fireplace to match any mood or occasion.

Flame Options Available

SEN50
50" Linear Electric Fireplace

Product Dimensions
(W x H x D)
50-1/4 × 19-1/2 × 7-1/8 in
127.7 × 49.5 × 18.1 cm

Carton Dimensions
(W x H x D)
53-15/16 × 23-5/8 × 11-1/4 in
137.0 × 60.0 × 28.5 cm

Packaged Weight
88.0 lbs / 40.0 kg

UPC
781052157323

Order Number
500005119

SEN60
60" Linear Electric Fireplace

Product Dimensions
(W x H x D)
60-3/8 × 19-1/2 × 7-1/8 in
153.3 × 49.5 × 18.1 cm

Carton Dimensions
(W x H x D)
64-3/4 × 23-5/8 × 11-1/4 in
164.5 × 60.0 × 28.5 cm

Packaged Weight
103.4 lbs / 47.0 kg

UPC
781052157330

Order Number
500005120

SEN74
74" Linear Electric Fireplace

Product Dimensions
(W x H x D)
74-3/16 × 19-1/2 × 7-1/8 in
188.4 × 49.5 × 18.1 cm

Carton Dimensions
(W x H x D)
78-1/2 × 23-5/8 × 11-1/4 in
199.5 × 60.0 × 28.5 cm

Packaged Weight
162.8 lbs / 74 kg

UPC
781052157347

Order Number
500005121

Total Control
For ultimate control of your fireplace, use the Glen Dimplex Connect App. You can also use the included remote control or hidden control panel.

SEN50

SEN60

SEN74

©2026 Glen Dimplex Americas

Vital Spark

Built-In Electric Firebox

Style Within Reach
A clean and modern design that brings style to your home, offering exceptional value without compromise.

Enhanced Realism
A natural, authentic experience with molded logs that mimic real wood, and a flickering ember bed that lights up in 5 colors.

Convenient Operation
Easy to customize with the remote, on board controls or the Glen Dimplex Connect app.

Seamless Installation
Flexible installation with 1500 watts at 120 volts, hardwire or convertible to a plug-in.

Versatile Ambience

With 3 speeds, 3 brightness settings, and 13 flame colors, you can customize the fireplace to match any mood or occasion.

Flame Options Available

Total Control
For ultimate control of your fireplace, use the Glen Dimplex Connect App. You can also use the included remote control or hidden control panel.

SPK26
26" Electric Firebox

Product Dimensions (W x H x D)
26-1/2 × 17-3/4 × 7-1/2 in
67.3 × 45.0 × 19.0 cm

Carton Dimensions (W x H x D)
11 × 28-3/4 × 22 in
27.9 × 73.0 × 55.9 cm

Packaged Weight
38.5 lbs / 17.5 kg

UPC
781052157262

Order Number
500005113

SPK28
28" Electric Firebox

Product Dimensions (W x H x D)
27-3/8 × 23-3/8 × 7-1/2 in
69.4 × 59.4 × 19.0 cm

Carton Dimensions (W x H x D)
11-1/2 × 30-1/2 × 27-3/4 in
29.2 × 77.5 × 70.5 cm

Packaged Weight
46.2 lbs / 21.0 kg

UPC
781052157279

Order Number
500005114

SPK33
33" Electric Firebox

Product Dimensions (W x H x D)
33-1/16 × 23 × 7-1/2 in
84.0 × 58.4 × 19.0 cm

Carton Dimensions (W x H x D)
11-7/8 × 36-1/2 × 27-3/8 in
30.2 × 92.7 × 69.5 cm

Packaged Weight
53.9 lbs / 24.5 kg

UPC
781052157286

Order Number
500005115

SPK36
36" Electric Firebox

Product Dimensions (W x H x D)
37-1/4 × 26-1/2 × 7-1/2 in
94.4 × 67.4 × 19.0 cm

Carton Dimensions (W x H x D)
11-7/8 × 40 × 30-1/2 in
30.2 × 101.6 × 77.5 cm

Packaged Weight
64.9 lbs / 29.5 kg

UPC
781052157293

Order Number
500005116

SPK42
42" Electric Firebox

Product Dimensions (W x H x D)
43-1/4 × 31 × 7-1/2 in
109.8 × 78.8 × 19.0 cm

Carton Dimensions (W x H x D)
11-7/8 × 46-1/2 × 35-1/2 in
119.4 × 61.0 × 28.0 cm

Packaged Weight
81.4 lbs / 37.0 kg

UPC
781052157309

Order Number
500005117

SPK26

SPK28

SPK33

SPK36

SPK42

©2026 Glen Dimplex Americas

Vital™

Comfort Made Personal. Style Made Simple.

Enjoy inviting flames and flexible customization that let you shape your home's ambience exactly the way you like it.



SERIES	VITAL™ SENSE	VITAL™ SPARK	VITAL™ ESSENCE *Contact to confirm availability*
Size	50", 60", 74"	26", 28", 33", 36", 42"	42", 50", 60", 74", 100"
Ember Bed	Tumbled Glass	Glowing Log Set	Tumbled Glass
Flame Color Themes | Brightness	13 Flame Colors | 3 Brightness Settings		
Flame Effect	Multi-Fire®		
Flame Technology	LED Flame Technology		
Flame Speed	3	3	3
Flame Only Mode	•	•	•
Heater Only Mode	•	•	•
Air Circulation	•	•	•
Heat Operation	Powerful Heating		
Heating Range	up to 1000 sq. ft		
Heat Disable	•	•	
Built-in Thermostat	•	•	
Wiring Type	Hardwire (120 V Plug kit included) Installation required	Hardwire or plug-in capabilities - 120 V plug kit included	
Volts	120	120	120
Watts	1500	1500	1500
BTU	5118	5118	5118
Operating Controls	Onboard | Remote | App		
Glen Dimplex Connect app	•	•	•
Smart Self-diagnostics		•	•
Display	•	•	•
Timer	•	•	•
Installation Options	Front, Fully Recessed or Wall Mount with included brackets	Front, Fully Recessed	
Optional Accessories	Log Sets		Log Sets
Warranty	1-year Limited		

©2026 Glen Dimplex Americas

Revillusion®

Built-in Electric Firebox

A Dazzling Ember Bed Upgrade
More light, tumbled glass, and black gravel create a deeper, more dynamic glow that brings your fireplace to life.

Scan for more information

Timeless Aesthetic
The ageless appeal of the fireplace creates an authentic, ever-lasting impression.

Design with Style
Tailor your fireplace to your desired look and feel by selecting between a more traditional or modern aesthetic.

Complete Perspective
Enjoy a full-depth view of the fireplace with the ability to see clearly through the flames.

Authentic Realogs®
Handcrafted from real wood, these logs feature inner LED lights that emit a lifelike, pulsating glow, simulating burning logs.

Available in 4 Backer Styles

Herringbone | Black | Neutral Brick | Weathered Concrete

Choose the perfect backdrop for a look that's uniquely yours.

Mood-maker Remote
Customize the light color and intensity for a fireplace that reflects your personality.

REV24-HB (Herringbone)
REV24-WC (Concrete)
REV24-BL (Black)
REV24-NB (Neutral Brick)
24" Electric Firebox

Product Dimensions (W x H x D)
25-1/8 × 22-7/8 × 12-1/8 in
64.0 × 58.1 × 30.7 cm

Carton Dimensions (W x H x D)
29-3/8 × 27-1/2 × 16-5/8 in
74.4 × 69.9 × 42.1 cm

Packaged Weight
60 lbs / 27.2 kg

UPC
781052159211 - Herringbone
781052157132 - Concrete
781052157910 - Black
781052157125 - Brick

Order Number
500005733 - Herringbone
500005128 - Concrete
500005446 - Black
500005127 - Brick

REV30-HB (Herringbone)
REV30-WC (Concrete)
REV30-BL (Black)
REV30-NB (Neutral Brick)
30" Electric Firebox

Product Dimensions (W x H x D)
31-1/8 × 26-1/2 × 12-1/8 in
79.2 × 67.3 × 30.7 cm

Carton Dimensions (W x H x D)
35-1/4 × 31-3/4 × 16-3/8 in
89.4 × 80.5 × 41.1 cm

Packaged Weight
86.5 lbs / 39.3 kg

UPC
781052159228 - Herringbone
781052157163 - Concrete
781052157927 - Black
781052157156 - Brick

Order Number
500005734 - Herringbone
500005131 - Concrete
500005447 - Black
500005130 - Brick

REV36-HB (Herringbone)
REV36-WC (Concrete)
REV36-BL (Black)
REV36-NB (Neutral Brick)
36" Electric Firebox

Product Dimensions (W x H x D)
37-1/8 × 26-1/2 × 12-1/8 in
94.4 × 67.3 × 30.7 cm

Carton Dimensions (W x H x D)
41-3/8 × 31-3/4 × 16-3/8 in
104.7 × 80.6 × 41.1 cm

Packaged Weight
96.1 lbs / 43.7 kg

UPC
781052159235 - Herringbone
781052157194 - Concrete
781052157934 - Black
781052157187 - Brick

Order Number
500005735 - Herringbone
500005134 - Concrete
500005448 - Black
500005133 - Brick

REV36P-HB (Herringbone)
REV36P-WC (Concrete)
REV36P-BL (Black)
REV36P-NB (Neutral Brick)
36" Portrait Electric Firebox

Product Dimensions (W x H x D)
37-1/8 × 31 × 12-1/8 in
94.4 × 78.8 × 30.7 cm

Carton Dimensions (W x H x D)
41-3/8 × 35-1/2 × 16-3/8 in
105.0 × 90.7 × 41.1 cm

Packaged Weight
104.9 lbs / 47.7 kg

UPC
781052159242 - Herringbone
781052157217 - Concrete
781052157941 - Black
781052157200 - Brick

Order Number
500005736 - Herringbone
500005136 - Concrete
500005449 - Black
500005135 - Brick

REV42-HB (Herringbone)
REV42-WC (Concrete)
REV42-BL (Black)
REV42-NB (Neutral Brick)
42" Electric Firebox

Product Dimensions (W x H x D)
43-1/4 × 31 × 12-1/8 in
109.8 × 78.8 × 30.7 cm

Carton Dimensions (W x H x D)
47-1/2 × 36-1/2 × 16-3/8 in
120.6 × 91.2 × 41.1 cm

Packaged Weight
115.1 lbs / 52.3 kg

UPC
781052159259 - Herringbone
781052157255 - Concrete
781052157958 - Black
781052157248 - Brick

Order Number
500005737 - Herringbone
500005140 - Concrete
500005450 - Black
500005139 - Brick

REV24

REV30

REV36

REV36P

REV42

©2026 Glen Dimplex Americas

Revillusion®

Timeless Look. Modern Flame.

Get the look of a traditional fireplace with realistic flame effects and safe, maintenance-free electric performance.

SERIES	REVILLUSION® DELUXE	REVILLUSION®
Size	24"	30", 36", 36"P, 42"
Ember Bed	Realogs®	
Ember Bed Themes | Brightness	•	•
Flame Color Settings	Adjust flame base color from red and orange	
Light Settings	Mood Lighting, Brightness and Flicker, Ambient Light Sensor	
Flame Effect	Revillusion® Flame	
Flame Technology	Optiflame®	
Flame Speed	4	
Flame Only Mode	•	•
Heater Only Mode	•	•
Heat Operation	Comfort$aver® Heating	Powerful Supplemental Heat - Option to use 240 V supply for up to 9200 BTU
Heating Range	Up to 1000 sq. ft.	
Heater Type	Ceramic	Steel Sheathed
Heat Disable	•	•
Built-in Thermostat	•	•
Wiring Type	Plug-in, with the option to Hardwire	Hardwire (Optional 120 V Plug Kit Included)
Volts	120	120 / 208 / 240
Watts	1500	1375 / 1975 / 2575
BTU	5118	4400 / 6745 / 8794
Operating Controls	Mood-maker Remote | Hidden-Touch Controls	Mood-maker Remote | Hidden-Touch
Display	•	•
Timer	•	•
Installation Options	Built-In	
Optional Accessories	Ember Beds, Trim Kits, and Log Sets	30" Trim Kits
Warranty	2-year Limited	

©2026 Glen Dimplex Americas

SLIM

Linear Electric Fireplace

Sleek Elegance
The tall, dazzling flames have an impressive height, and the patented Dimplex mirror effect provides the illusion of depth.

Clean Energy
No fuel or venting is required. All the energy supplied to the unit is converted into heat, which stays in the room to keep the space warm.

Flexible Installation
Can fit flush into 2×4 framing for simple installation or can be wall-mounted with minimal obtrusion thanks to its slim design.

Dimplex Flame Effect
A blend of technology, artistry and craftsmanship that sets the standard for realism.

Flame Options Available

Multi-function Remote
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



PLF3614-XS
36" Linear Electric Fireplace

Product Dimensions (W x H x D)
37-1/4 × 19-5/8 × 3-7/8 in
94.6 × 49.9 × 9.8 cm

Carton Dimensions (W x H x D)
46-1/4 × 24-5/8 × 9-1/2 in
117.5 × 62.5 × 24.1 cm

Packaged Weight
57.8 lbs / 26.2 kg

UPC
781052137318

Order Number
X-PLF3614-XS

PLF4214-XS
42" Linear Electric Fireplace

Product Dimensions (W x H x D)
43-1/4 × 19-5/8 × 3-7/8 in
109.9 × 49.9 × 9.8 cm

Carton Dimensions (W x H x D)
52 × 24-5/8 × 9-1/2 in
132.0 × 62.5 × 24.1 cm

Packaged Weight
64.8 lbs / 29.4 kg

UPC
781052137301

Order Number
X-PLF4214-XS

PLF5014-XS
50" Linear Electric Fireplace

Product Dimensions (W x H x D)
51-1/4 × 19-5/8 × 3-7/8 in
130.2 × 49.9 × 9.8 cm

Carton Dimensions (W x H x D)
60 × 24-5/8 × 9-1/2 in
152.5 × 62.5 × 24.1 cm

Packaged Weight
74.9 lbs / 34.0 kg

UPC
781052137295

Order Number
X-PLF5014-XS

PLF6014-XS
60" Linear Electric Fireplace

Product Dimensions (W x H x D)
61-1/4 × 19-5/8 × 3-7/8 in
155.6 × 49.9 × 9.8 cm

Carton Dimensions (W x H x D)
69-7/8 × 24-5/8 × 9-1/2 in
177.5 × 62.5 × 24.1 cm

Packaged Weight
87.1 lbs / 39.5 kg

UPC
781052137288

Order Number
X-PLF6014-XS

PLF3614

PLF4214

PLF5014

PLF6014

©2026 Glen Dimplex Americas

SIERRA

Linear Electric Fireplace

LIMITED 1 YEAR WARRANTY

Scan for more information

Interchangeable Design
Transform the ambience by customizing the look and feel of the fireplace at any time with different included ember beds.

Customizable Installation
Seamlessly integrate a fireplace into any room, with any of the three installation options that provide the perfect solution for everyone.

Effortless Comfort
Simply plug the fireplace in and instantly envelop a space in warmth and relaxation, creating a cozy haven to enjoy with ease.

Dimplex Flame Effect
A blend of technology artistry and craftmanship that sets the standard for realism.

Media Options Available

Multi-function Remote
Control the fireplace features from the comfort of your chair.



SIL48
48" Linear Electric Fireplace

Product Dimensions (WxHxD)
48 × 19-1/2 × 5-1/4 in
121.9 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD)
53-3/8 × 22-7/8 × 7-5/8 in
135.6 × 57.9 × 19.4 cm

Packaged Weight
59.1 lbs / 26.8 kg

UPC
781052132733

Order Number
X-SIL48

SIL60
60" Linear Electric Fireplace

Product Dimensions (WxHxD)
60 × 19-1/2 × 5-1/4 in
152.4 × 49.5 × 13.2 cm

Carton Dimensions (WxHxD)
65-3/4 × 23-1/4 × 9-1/2 in
167.0 × 59.1 × 24.1 cm

Packaged Weight
87.1 lbs / 39.5 kg

UPC
781052132757

Order Number
X-SIL60

SIL72
72" Linear Electric Fireplace

Product Dimensions (WxHxD)
72 × 19-1/2 × 5-1/4 in
182.9 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD)
77-3/4 × 23-1/4 × 9-1/2 in
197.5 × 59.1 × 24.1 cm

Packaged Weight
100.3 lbs / 45.5 kg

UPC
781052132764

Order Number
X-SIL72

SIL48

SIL60

SIL72

This product may not be available in all regions. Please contact us to confirm availability.

©2026 Glen Dimplex Americas

LINEARS

Refined Design. Effortless Atmosphere.

Bring a ribbon of captivating flame to your wall with modern linear styling and simple electric operation, delivering ambience at the touch of a button.

SERIES	SLIM LINEAR (DI ONLY)	SIERRA *Contact to confirm availability*
Size	36", 42", 50", 60"	48", 60", 72"
Ember Bed	Acrylic Crystals	Interchangeable - Logs, Acrylic Crystals, Pebbles
Ember Bed Themes | Brightness	8 Themes | Adjustable Brightness	
Flame Color Themes | Brightness	7 Themes | Adjustable Brightness	8 Themes | Adjustable Brightness
Flame Effect	Dimplex®	High contrast
Flame Technology	Optiflame®	
Flame Speed	5	
Flame Only Mode	•	•
Heater Only Mode	•	
Heat Operation	Powerful supplemental heating	
Heating Range	1000 sq. ft.	
Heat Disable	Onboard controls or Hardware disconnect	Onboard Controls Only
Built-in Thermostat	•	•
Wiring Type	Hardwire (120 V Plug Kit Sold Separately)	Plug-in
Volts	120	120
Watts	1500	1400
BTU	5118	4777
Operating Controls	Hidden touch controls | Remote | App	Touch controls | Remote
Flame Connect App	•	
Self Diagnostics	•	
Display	•	•
Timer	•	•
Installation Options	Fully recessed - 2×4, Wall-mount	Fully recessed Wall-mount, Free-standing
Optional Accessories	Plug Kit, Ember Beds and Log Sets	Ember Beds and Log Sets
Warranty	2-year parts and service	1-year parts

©2026 Glen Dimplex Americas

BF Series

Built-in Electric Firebox

Scan for more information

Classic Elegance
The fireplace heating and design elements work together to provide a welcoming environment.

Traditional Design
The full brick interior brings the warmth and comfort of a traditional fireplace into your home.

Intuitive Operation
Simple-to-use controls ensure a hassle-free and enjoyable fireplace experience.

Realistic Logs
Logs molded from actual wood glow in concert with the flames to create a realistic fireplace experience.

Customize your look with optional trim kits, doors, and glass accessories.



BF33DXP
33" Deluxe
Electric Firebox

Product Dimensions
(W x H x D)
32-3/4 × 28-3/4 × 14-1/4 in
83.0 × 73.0 × 36.3 cm

Carton Dimensions
(W x H x D)
33-1/8 × 31-1/2 × 16-3/4 in
84.1 × 80.0 × 42.6 cm

Packaged Weight
79.4 lbs / 36.1 kg

UPC
781052045781

Order Number
X-781052045781

BF39STP
39" Standard
Electric Firebox

Product Dimensions
(W x H x D)
38-3/4 × 32-3/4 × 15-1/4 in
98.4 × 83.1 × 38.7 cm

Carton Dimensions
(W x H x D)
39 × 35 × 17-1/2 in
99.1 × 88.9 × 44.5 cm

Packaged Weight
89.7 lbs / 40.7 kg

UPC
781052045798

Order Number
X-BF39STP

BF39DXP
39" Deluxe
Electric Firebox

Product Dimensions
(W x H x D)
38-3/4 × 32-3/4 × 15-1/4 in
98.4 × 83.1 × 38.7 cm

Carton Dimensions
(W x H x D)
39 × 34-1/2 × 17-1/2 in
99.1 × 87.6 × 44.5 cm

Packaged Weight
87 lbs / 39.5 kg

UPC
781052045804

Order Number
X-BF39DXP

BF45DXP
45" Deluxe
Electric Firebox

Product Dimensions
(W x H x D)
44-3/4 × 32-3/4 × 15-1/4 in
113.7 × 83.1 × 38.7 cm

Carton Dimensions
(W x H x D)
45-3/4 × 35-1/2 × 17-1/2 in
116.2 × 90.2 × 44.5 cm

Packaged Weight
106.5 lbs / 48.3 kg

UPC
781052052390

Order Number
X-BF45DXP

BF33DXP

BF39DXP

BF39STP

BF45DXP

©2026 Glen Dimplex Americas

Plug-in Electric Firebox

Scan for more information

Quick Comfort
Simply plug-in and enjoy the flickering flames and cozy warmth.

Elevate Ambience
Have your choice of ember beds to enhance your aesthetic, complementing a wide range of design styles.

Adaptable Installation
Retrofit into an existing fireplace or construct a custom fireplace surround or mantel to achieve your desired look.

Dimplex Flame Effect
A blend of technology, artistry and craftsmanship that sets the standard for realism.

Available with Realogs® for classic charm or Acrylic Crystals for modern sparkle.

Multi-function Remote
Control the fireplace features from the comfort of your chair.



XHD23L (Realogs®)
XHD23G (Acrylic Crystals)
23" Electric Firebox

Product Dimensions
(W x H x D)
23 × 20-1/2 × 7-1/2 in
58.4 × 52.0 × 19.1 cm

Carton Dimensions
(W x H x D)
25-5/8 × 24 × 10-5/8 in
65.0 × 61.0 × 27.0 cm

Packaged Weight
29.5 lbs / 13.4 kg

UPC
781052115125 - Realogs
781052115118 - Acrylic Crystals

Order Number
X-XHD23L - Realogs
X-XHD23G - Acrylic Crystals

XHD26L (Realogs®)
XHD26G (Acrylic Crystals)
26" Electric Firebox

Product Dimensions
(W x H x D)
26 × 18-7/8 × 7-1/2 in
66.0 × 47.9 × 19.1 cm

Carton Dimensions
(W x H x D)
28-1/2 × 22-1/2 × 10-5/8 in
72.5× 57.0 × 27.0 cm

Packaged Weight
30 lbs / 13.5 kg

UPC
781052110823 - Realogs
781052110816 - Acrylic Crystals

Order Number
X-XHD26L - Realogs
X-XHD26G - Acrylic Crystals

XHD28L (Realogs®)
XHD28G (Acrylic Crystals)
28" Electric Firebox

Product Dimensions
(W x H x D)
27-3/8 × 23-1/2 × 7-1/2 in
69.5 × 59.7 × 19.1 cm

Carton Dimensions
(W x H x D)
26-3/4 × 26-7/8 × 11 in
67.9 × 68.0 × 28.0 cm

Packaged Weight
36.5 lbs / 16.5 kg

UPC
781052110847 - Realogs
781052117907 - Acrylic Crystals

Order Number
X-XHD28L - Realogs
X-XHD28G - Acrylic Crystals

XHD33L (Realogs®)
XHD33G (Acrylic Crystals)
33" Electric Firebox

Product Dimensions
(W x H x D)
33-1/8 × 23-1/4 × 7-1/2 in
84.1 × 59.0 × 19.1 cm

Carton Dimensions
(W x H x D)
35-5/8 × 26-7/8 × 11 in
90.5 × 68.0 × 28.0 cm

Packaged Weight
42.1 lbs / 19.1 kg

UPC
781052131217 - Realogs
781052131224 - Acrylic Crystals

Order Number
500001756 - Realogs
500001757 - Acrylic Crystals

XHD23L

XHD26L

XHD28L

XHD33L

©2026 Glen Dimplex Americas

FIREBOXES

Authentic Feel. Electric Convenience.

Bring classic fireplace ambience into any space with realistic flame effects, all-season enjoyment, and simple plug-in or built-in installation options.

SERIES	BF SERIES	NOVA SERIES
Size	33", 39", 45"	23", 26", 28", 33"
Ember Bed	Inner Glow Logs	Acrylic Crystals, Realogs®
Ember Bed Color Settings		•
Interior Surround	Black, Authentic brick-look interior	Black
Flame Effect	Original Dimplex® Flame	
Flame Technology	Optiflame®	
Flame Speed		•
Flame Only Mode	•	•
Light Settings		Adjustable Brightness
Heat Operation	Powerful Supplemental Heat - Option to use 240 V supply for up to 9200 BTU	Supplemental Heat
Heating Range	Up to 1000 sq. ft.	
Heater Only Mode	When connected to a switch or thermostat	•
Heater Element	Steel Sheathed	Stitched Wire
Heat Disable	Hardwire disconnect only	Onboard controls
Built-in Thermostat		•
Connects to a Wall Thermostat	•	
Wiring Type	Hardwire (Optional 120 V Plug Kit Included)	Plug-in
Volts	120 / 208 / 240	120
Watts	1440 / 2100 / 2700	1465
BTU	4913 / 7165 / 9213	5000
Display		•
Onboard Controls	Toggle	Hidden-Touch Controls
Optional Accessories	Ember Beds and Log Sets	XHD26/28G only
Remote Control		•
Warranty	2-year limited	

©2026 Glen Dimplex Americas

DFI Series

Plug-in Electric Log Inserts

Scan for more information

Reclaimed Charm
Revitalize an existing hearth space with the flicker of lifelike flames and the warmth of modern convenience.

Seamless Installation
With virtually no setup required, effortlessly incorporate a fireplace into your space.

Instant Coziness
Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.

Patented Logs
Our Patented Inner Glow Logs are individually molded and hand-finished to pulse and glow from within, creating the look of natural burning logs.

DFI2310
23" Electric Fireplace Insert

Product Dimensions (W x H x D)
23-1/4 × 19-1/2 × 10-5/8 in
59.1 × 49.5 × 27.0 cm

Carton Dimensions (W x H x D)
26 × 23-1/4 × 13-1/4 in
66.0 × 59.1 × 33.5 cm

Packaged Weight
36.0 lbs / 16.3 kg

UPC
781052049406

Order Number
X-DFI2310

IGNITE

The Ignite® Outdoor-Certified Series

Outdoors, Elevated.

Meet the Outdoor-rated electric fireplaces, where style meets performance.

©2026 Glen Dimplex Americas

Give your showroom a modern, premium presentation with our flexible

Ignite Displayer Program

How It Works

- Displayer free with qualifying fireplace purchase
- Flexible configurations to fit any showroom footprint
- Volume-based savings on Ignite electric fireplace displays
- Showcase-ready presentation designed to elevate in-store engagement

Choose Your Optimal Fireplace Combination

	Option A	Option B	Option C
One Tier	60" Ultra + Base	60" Bold + Base	60" Evolve or 60" XL + Base
Two Tiers	60" Ultra + 60" Bold + Base	60" Ultra + 60" Evolve or 60" XL + Base	60" Bold + 60" Evolve or 60" XL + Base
Three Tiers	60" Ultra + 60" Bold + 60" Evolve or 60" XL + Base		

Contact your Sales Manager to learn more



Ignite Featured Models

Help your customers visualize their perfect fireplace with the

Accesory Displayer Program

Media & Decorative Elements

- Tumbled Glass
- Large River Rocks
- Small River Rocks
- Large Black Rocks
- Medium Acrylic Crystals
- Large Acrylic Crystals
- X-Large Acrylic Crystal

Faux Wood Log Sets

- Split Log Molded Log Set, 50"
- Linear Faux Wood Molded Log Set, 50"
- Beach Driftwood Faux Wood Log Set
- Driftwood Faux Wood Log Set
- Chunky Driftwood Faux Wood Log Set
- Split Logs Faux Wood Log Set
- Thin Split Logs Faux Wood Log Set

Signage & Documentation

- Shelf Signage
- Dimplex Literature
- Acrylic Holder
- Instruction Sheet

Display Hardware

- Displayer
- Acrylic Bins

Tumbled Glass | *Large River Rocks* | *Large River Rocks* | *Large Black Rocks* | *Medium Acrylic Crystals* | *Large Acrylic Crystals* | *X-Large Acrylic Crystals*

Split Log Molded Log Set, 50" | *Linear Faux Wood Molded Log Set, 50"* | *Beach Driftwood Faux Wood Log Set* | *Driftwood Faux Wood Log Set* | *Chunky Driftwood Faux Wood Log Set* | *Split Logs Faux Wood Log Set* | *Thin Split Logs Faux Wood Log Set*

Contact your Sales Manager to learn more

©2026 Glen Dimplex Americas

Dimplex®

Experience Better Living.

1-800-668-6663
dimplex.com

01042026_R00