


MODERN EMBER®



THE KAIRO OUTDOOR FIREPLACE INSTALLATION GUIDE

Materials Needed:

- 5 stackable firepit tower pieces:
 - Base Firewood Storage Cavity (1 piece)
 - Firebox (1 piece)
 - Chimney Flute (3 pieces)
 - Hearth (Optional)
- Work gloves (optional)
- Level (to ensure stability)
- 2 Persons (for install safety)
- Stone Sealer

Assembly Instructions:

Step 1: Choose a Suitable Location

- Select a flat, stable surface away from flammable materials, structures, or overhanging branches.
- Ensure proper ventilation and follow local fire safety regulations.

Step 2: Position the Base Firewood Storage Cavity

- Place the **base piece** in your chosen location.
- Make sure it is level and stable. If a hearth is included place the hearth on a leveled surface.
- Adjust as needed using shims or leveling materials.

Step 3: Attach the Firebox

- Align the negative bottom of the firebox with the positive top of the base.
- Lower the firebox into place, ensuring it securely interlocks.
- Gently press down to ensure a firm connection.

Step 4: Stack the Chimney Flute Pieces

- Take the first chimney flute piece and align its negative bottom with the positive top of the firebox.
- Lower it into place and ensure it interlocks securely.
- Repeat this process for the **second and third chimney flute pieces**, stacking them securely on top of one another.

Step 5: Ensure Stability and Safety

- Double-check all interlocked connections to ensure they are secure.
- Use a level to verify that the tower is standing straight.
- Make sure all pieces are properly aligned to allow for optimal airflow and smoke ventilation.
- The Kairo firepit comes sealed from the factory for quality assurance. However, regular maintenance and re-sealing is required to ensure optimal performance over time.
- Please ensure you wait a minimum of 4 weeks upon receiving your new Kairo firepit before initial use to allow our stone product to properly cure.

Step 6: Test and Enjoy

- Place firewood in the firebox and light the fire following proper safety procedures.
- For Optimal safety and performance Firebox is not to exceed 1/3rd capacity. Over filling the firebox will reduce air flow which may cause a safety hazard.
- Observe the chimney draw to ensure smoke exits properly.
- Enjoy your firepit safely and responsibly.

CUSTOMER SERVICE

Questions, problems, missing parts? Before returning, call Customer Service:

8am - 5pm CST, Monday - Friday Phone: 877-430-0703

Email: info@mantelsdirect.com

Retain this manual for future use.