


MODERN EMBER

Serena Mantel Surround



OWNER'S MANUAL

Important Safety Instructions

Read and understand the entire manual before attempting to assemble, install, or operate the product.

A WARNING

Heat clearances must be adhered to for installation of this product; adhere to your local building heat clearance codes and heat clearances as stated by the manufacturer of your specific firebox or stove model. Failure to do so will void the product warranty. Always consult a professional.

A CAUTION

To avoid scratching the finish, assemble the product on a soft, non-abrasive surface such as carpet, thick bedding, or a large blanket.

A CAUTION

Before assembly and installation, carefully unwrap all parts. Locate and set aside the hardware kit before disposing of the packaging.

A CAUTION

Use care when assembling the product. Take your time and follow the instructions closely.

SAVE THESE INSTRUCTIONS FOR FUTURE USE.

Parts & Hardware

PARTS

PART NO.	DESCRIPTION	QTY
1	Breast Plate	1
2	Left Leg	1
3	Right Leg	1
4	French Cleat Mounting Board	1

HARDWARE

PART NO.	DESCRIPTION		QTY
A	θ))))))))	Bolt - 1/4" x 1-3/4"	6
В		Lock Washer - 1/4"	6
С		Flat Washer - 1/4"	6
D		Allen Wrench	1
E		Screw - #8 x 40mm	5

Preparation

MOUNTING GUIDE

It is recommended to mount to wall studs. If your application calls for mounting directly to drywall, concrete, or brick, we recommend using the appropriate hardware that can be found at your local hardware store.



REQUIRED:

(NOT INCLUDED)

Pencil	Tape Measure
Level	Stud Finder
Drill	Hammer


MAY BE REQUIRED:


(NOT INCLUDED)

Drywall Anchors
Concrete Anchors
Lag Bolts

Assembly Instructions

STEP 1







- 1. Place the Breast Plate (1) upside down on a soft surface. Align the holes of the Left Leg (2) and Right Leg (3) to the Breast Plate (1).
- 2. Use 1-3/4" long Bolt (A), Lock Washer (B), and Flat Washer (C) to attach the Left Leg (2) and the Right Leg (3) to the Breast Plate (1) as pictured above.
- 3. Use Provided Allen Wrench (**D**) to tighten hardware.

Assembly Instructions

STEP 2






- 1. With the Fireplace Surround (1-3) upside down on a soft surface, hold the mounting board in position on the Breast Plate (1). Measure from the top of the Breast Plate (1) to the bottom of the mounting board (4) and make note of this measurement.
- 2. Place the Fireplace Surround (1-3) against the fireplace in the desired location. Draw a line on the wall along the top of the Fireplace Surround. Remove the Fireplace Surround from the wall. Using your noted measurement, measure and mark reference point for the bottom of the Mounting Board (4). Using a level, mark the line at several points to ensure a level mount.
- 3. Using a stud finder, locate and mark the center of 3-4 studs inside the wall you intend to mount your surround. Use the mounting board (4) to drill pilot holes at marked studs.
- 4. Using Screw (E), attach the French Cleat Mounting Board (4) to the wall.

Assembly Instructions

STEP 3



- 1. Lift and place the Fireplace Surround (1-3) onto the French Cleat Mounting Board (4) and slide down until the surround is tight against the wall.
- 2. Push the surround tight against the wall and then push down firmly on the surround to ensure the French cleat is properly connected.



Thank you for purchasing our Serena Fireplace Surround!

Each unit has been manufactured to ensure safety and reliability.

Before first use, read the instructions carefully and keep them for further reference.

Questions, problems, missing parts?
Before returning to store, call Customer Service:

8am-5pm CST, Monday - Friday

Phone: 877-430-0703

Email: resolution@netdirectmerchants.com

Retain this manual for future use.

